
INSTALLATION

It is important that the installation instructions below are followed for successful installation of this Portable Air Conditioner. Please call Customer Support if you have any difficulties or queries regarding these installation procedures.




Installation Kit:

1. Window Bracket Kit	(1 Set)	4. Exhaust Hose	(1 Piece)
2. Butterfly Screws	(2 Piece)	5. Window Bracket Panel Adapter	(1 Piece)
3. Drain Tube (Dehumidifier Mode)	(1 Piece)	6. Exhaust Hose Connector	(1 Piece)

Installation Steps:


1. Exhaust Hose Connector, Exhaust Hose and window bracket panel adapter are pre-assembled inside the package.



Hose: Length: 9.8" to 59" (25cm to 150cm)

INSTALLATION (CONTINUED)

Window Bracket Kit:



This window kit is designed to fit most standard sliding windows. If your window is outside of the size parameters as outlined above, the window bracket can be cut shorter to fit by bringing it to a nearby hardware store.

Note: After setting the window bracket to the size of your window, please remove it from the window and follow the instructions below.


2. Connect the hose to the rear exhaust outlet on the back of the unit. Slide-in the hose connector then slide down until it is locked in place.




Hose: Dia.5.9" (15cm) Length: 9.8" to 59" (25cm to 150cm)

INSTALLATION (CONTINUED)

3. Connect the window bracket to the window bracket panel adapter. Ensure that all connections are tight and installed properly.



4. Connect the window bracket to the window.



5. The Portable Air Conditioner is now ready to use.