


FLOW

Breathe in the Difference
Air Purifier



MODEL - FBO2-C1

PLEASE READ ALL INSTRUCTION CAREFULLY BEFORE USING.

Introduction

Thank you for your choice.

O2 FLOW air purifier. Read all of these operating instructions carefully before starting to use the air purifier. This will help you better operate the product.

Gentle reminder

Air purifier for improving indoor air quality has a significant role but to thoroughly cure indoor air pollution problems, and please keep in mind the four major points:

1. O2 FLOW air purifier can significantly improve indoor air quality.
However, to reduce or eliminate indoor air pollution sources is the most effective control way for indoor air quality.
2. In order to bring you a clean and healthy air environment, we suggest that 24 hours a day running O2 FLOW air purifier, continuous, uninterrupted fresh air output.
3. When people breathe, carbon dioxide is produced, so the proper ventilation can replace air from the outside, and add oxygen to reduce carbon dioxide inhalation.
4. Please be sure to replace the filter according to the suggested time, to ensure that your O2 FLOW air purifier is always in the best working state.

Notice:


O2 FLOW air purifier is commercial appliances, before your first use, please be sure to read the following safety instructions, in order to reduce the risk of electric shock, fire or injury!

- This product is only used indoors under normal conditions;
- Do not use this product in wet and high temperature environment (such as bathroom);
- It is forbidden to insert any objects into openings on the device. If there is this situation, please stop the machine, cut off the power and remove the foreign body.
If need to repair please contact O2 Flow customer service center or local service providers;
- Before insert the plug, please carefully check the machine is equipped with the filter;
- When replace the filter or cleaning the machine surface, be sure to disconnect the power supply;
- Please do not use the non O2 Flow designated filter and other accessories;
- In addition to replace the filter, do not disassemble or modify the product;
- Do not sit, stand or prevent the heavy load on the air purifier;
- Do not let children use or operate the machine, to avoid unnecessary injury;
- Please unplug the device after every use, in case of the insulation caused by aging caused electric shock or fire;
- Do not operate the device in the highly flammable material area;
- Never submerge the device in water or other liquids, do not clean it under running water, to avoid electric shock or fire;
- Before the product is switched on, first confirm the marked voltage is consistent with the local voltage;
- Do not knock the product with hard objects(especially the air inlet and outlet);
- Please disconnect the power before cleaning the product;
- Do not before closing the machine, pull off the power source!


Use instrucciones

Before you use the O2 FLOW air purifier, please refer to the operating instructions.

Open the two side-panels and remove the filters;




Open the panels of two side.



Remove all filters inside the product.



Remove all the packages from the filters.



Replace the new filters as the picture.



Put back the pre-filters.



Put back the side-panels.

Use instructions

•Please put the power cord completely, put the O2 FLOW air purifier in a dry and flat place. To ensure that the air purifier from the wall or object at least 40 cm. In order to better realize the whole space of the circulation of gas flow, otherwise it will reduce the air purifier purification efficiency;
(Please check the power cord is intact, once damaged prohibit to use)

•Confirm that the power plug is inserted in three and has a grounding end, and then connected to the power supply.

•Touch upper right "on/off" button

[Di] the sound, "on/off", "AUTO", "ANION", "air quality detection" indicators will light, air purifier start intelligent function.

The fan operates at a moderate speed,"ANION" function opening.

Air quality detection system is turned on and the front of the machine "air quality indicator lights" flashing green lights to display.

After five minutes the air quality detection system will be complete the detection. Indoor air quality status is indicated by the "air quality indicator" green, yellow and red color. The automatic operation mode of the machine , clean air.

Digital display	Color	Air Quality
1~75	Green	Very Good
76~150	Yellow	Good
More than 150	Red	Poor

Operation instruction



Turn on/off the air purifier; touch on/off key, the machine started auto function, the auto indicator will light; touch this key again the machine will be stop.



For open or close anion function.



Users can peraset or set the machine running time, 1-8 hours after the automatic open / shut down. Press this key once, set time one hour, press this key again to increase the operating time. The maximum operating time that can be set is 8 hours.



Touch "auto" key , machine into auto mode operation.



Touch sleep key, air quality indicator off, control panel lights dimmed, the machine into the quiet mode of operation. Touch "auto" key again, sleep mode off, machine into normal mode operation.



The user can set the wind speed according to the actual demand, touch this key , wind speed will adjust by 1-4.



When the filter service life up to 48 hours before, indicating a filter with red flashing exhibit of lanterns to remind the user to replace the screen. After the replacement of the filter press this key until the flashing red lights.



When the system starts, press the key for 3 seconds, and the system switches between the locked and unlocked states. The other keys are invalid after the child lock is locked, and only the other keys are valid after unlocking.




Turn lights on and off.


How to maintenance the air purifier

O2 FLOW air purifier with filter replacement reminder function:


(Notice: When you move, clean and replace the filters, be sure to disconnect the power supply.)




When the purifier indicator panel on the "reset filter" flashing lights, you need to replace the filter.




Press "on/off" key to turn off the machine, unplug the power plug.



Open the panels of two side.



Take out the initial filter , pull out complex filter of filter online auxiliary handle, and then remove the complex filter.




Put the new complex filter in the direction of the arrow to return to the product internally..



Put back the pre-filters.




Put back the side-panels



Connect power and start the purifier, press "Reset filter" key 5 seconds, "Reset filter" indicator stop flashing. Complete filter replacement.

Common problem	Solution
Fresh air can not be sent out from the outlet smoothly	Perhaps you forgot to remove the new filter plastic bag, Please remove the plastic packaging. Foreign bodies may block the outlet.
Air filtration effect is not good	High efficiency activated carbon filters may be ineffective due to environmental factors. If necessary, replace the filters. You may be using this product's room air quality is very poor. In this case, please open the window to improve air circulation. You may use this product to exceed the use area of the product.
Abnormal sound operation process	Foreign objects may block air inlet or outlet. Please move to block the air inlet or outlet of objects. There may be a fault to repair products.



Follow us:



@joyamiaofficial



#joyamiaofficial

TOLL FREE: 866-398-9051

www.JOYAMIA.com

Distributed by Forward Beauty Inc

21011 Itasca Street Suite E, Chatsworth, CA 91311