

# newaire™

## Plugin Series I

Negative Ion + Ozone Technology

# OPERATING INSTRUCTIONS



Queenaire Technologies  
9483 State Hwy 37, Ogdensburg, NY 13669  
(315) 393-5454 • [www.queenaire.com](http://www.queenaire.com)  
EPA Establishment No. 105458-NY-1



# IMPORTANT SAFETY INFORMATION

## READ ALL INSTRUCTIONS BEFORE USE.

### **WARNING!**

- Do not operate if the plug or unit appears to be damaged or not working properly.
- Do not insert fingers or objects into air openings. Risk of electric shock or fire.
- Do not block air openings. Maintain at least 18 in (46 cm) of clearance in front of the unit. Keep openings free of dust and debris.
- Indoor use only. Do not use outdoors.
- Plug only into a standard 120 VAC outlet. Using incorrect voltage can cause injury, damage the unit, and void the warranty.

### **CAUTION!**

- Keep out of reach of children and pets.
- Under normal operation, this unit produces minimal ozone. See Specifications for additional details.

# INITIAL OPERATION

- 1) Plug the unit into a standard 120 VAC grounded outlet. For best results, mount the unit high and keep the area around it free from obstructions.
- 2) Turn the unit on using the ON/OFF button. The green indicator light will glow steadily when the unit is operating. The unit runs silently.
- 3) If the green light blinks, refer to the Cleaning & Maintenance section.
- 4) Occasional arcing or snapping sounds may occur in high humidity (above 80%) or when airborne particles enter the unit. This is normal.

## AIR VENT

- Keep free of obstruction
- Preferably mount high
- Do not insert metal objects
- See cleaning instructions

## GREEN LIGHT INDICATOR

- Solid – operating properly
- Flashing – unplug immediately; needs cleaning or repair

## ON/OFF BUTTON



# SPECIFICATIONS

<b>Model</b>	<b>NAPLUGIN</b>
<b>Coverage Area</b>	<b>500 sq. ft.</b>
<b>Ozone Output</b>	<b>3 mg/hr</b>
<b>Negative Ion Output</b>	<b>750 cc/sec</b>
<b>Size</b>	<b>2.1"L x 3.5"W x 5.5"H</b>
<b>Weight</b>	<b>8.9 oz.</b>
<b>Volts / Hertz</b>	<b>120 / 60</b>
<b>Watts</b>	<b>3</b>
<b>Warranty</b>	<b>2 Years</b>
<b>ETL Listed</b>	<b>UL 867</b>

# CLEANING & MAINTENANCE

## **WARNING! DO NOT OPEN UNIT.**

Your Newaire Plugin requires no maintenance other than the occasional cleaning of the steel ring located behind the air hole openings. The frequency of cleaning is entirely dependent upon the amount of dust, lint or other airborne particles present when the unit is in use.

Cleaning this unit is necessary when the green indicator light flashes on and off while the unit is in operation. This flashing light indicates a build-up of dust/debris on the inner surface of the steel ring.

# HOW TO CLEAN

## **ALWAYS FOLLOW THESE STEPS TO PREVENT INJURY OR DAMAGE.**

- 1) Turn off and unplug the unit before cleaning.
- 2) To remove dust or lint, blow short bursts of air into the openings.
- 3) Plug in and turn on the unit. If the green light continues blinking, repeat step 2 or move on to step 4.
- 4) For deeper cleaning, use a Q-tip lightly dampened with rubbing alcohol. Gently wipe the inside of the metal ring through the center air opening.
- 5) If repeated cleaning does not resolve the blinking light, discontinue use and contact customer service.
- 6) Do not attempt to service the unit yourself. There are no user-serviceable parts inside.
- 7) To clean the exterior, wipe with a dry or lightly damp cloth. Never submerge the unit in water.

**For additional assistance, contact customer service at (877) 646-9663.**

## **2-YEAR LIMITED WARRANTY**

The Newaire Plugin is backed by a 2-year limited warranty. Please register your product at [www.queenaire.com](http://www.queenaire.com) to receive ongoing product support and warranty service.

Queenaire Technologies warrants this product to be free from defects in materials and workmanship under normal use for two (2) years from the date of purchase. Proof of purchase is required.

This warranty does not cover damage or failure caused by misuse, abuse, neglect, unauthorized repair or modification, improper installation or operation, accidents, dropping, shipping damage, exposure to liquids or moisture, or failure to follow safety, installation, or operating instructions in this manual. Any such conditions will void this warranty.

If a covered defect occurs during the warranty period, Queenaire Technologies will, at its option, repair or replace the product.

## 2-YEAR LIMITED WARRANTY

This warranty is in place of all other warranties, express or implied, including implied warranties of merchantability or fitness for a particular purpose. Queenaire Technologies' liability is limited to the original purchase price of the product. No dealer, distributor, or service provider may modify or extend this warranty.

This warranty gives you specific legal rights; you may also have other rights that vary by state or province. Valid only for products sold and used in the United States and Canada.

**For warranty service, contact Queenaire Technologies at (877) 646-9663.**

To register your product, [click here](#).