


# SEMI-RIGID ALUMINUM DUCTING



- This duct is ideal for applications where code requires an all aluminum duct
- Totally non combustible with a maximum operating temperature of 435°F
- The continuous lock seam permits the duct to be pulled open, compressed, bent and re-bent without developing leakage

| Product Code | UPC Code<br>060672 | Size                 | Packaging       | Pack Qty. | Pack Wt.<br>(lbs) | Pack Cube<br>(cu. ft.) |
|--------------|--------------------|----------------------|-----------------|-----------|-------------------|------------------------|
| MFX38        | 130702             | 3" x 8'              | Retail Bag      | 10        | 8                 | 2.01                   |
| MFX38X       | 133680             | 3" x 8'              | Bulk            | 10        | 8                 | 2.01                   |
| MFX38XZW     | 130702             | 3" x 8'              | Bulk / Cut Case | 12        | 10                | 2.37                   |
| MFX325X      | 137503             | 3" x 25'             | Bulk            | 5         | 11                | 5.13                   |
| MFX45        | 130672             | 4" x 5'              | Retail Bag      | 10        | 8                 | 3.14                   |
| MFX45X       | 130733             | 4" x 5'              | Bulk            | 10        | 7                 | 3.14                   |
| MFX46C2XZW   | 132003             | 4" x 6' with collars | Bulk / Cut Case | 16        | 13                | 5.14                   |
| MFX48        | 130689             | 4" x 8'              | Retail Bag      | 10        | 10                | 3.14                   |
| MFX48X       | 134670             | 4" x 8'              | Bulk            | 10        | 10                | 3.14                   |
| MFX48XZW     | 137015             | 4" x 8'              | Bulk / Cut Case | 16        | 13                | 5.14                   |
| MFX425X      | 137510             | 4" x 25'             | Bulk            | 4         | 12                | 5.13                   |
| MFX58        | 135677             | 5" x 8'              | Retail Bag      | 6         | 8                 | 2.92                   |
| MFX58X       | 135684             | 5" x 8'              | Bulk            | 6         | 8                 | 2.92                   |
| MFX58XZW     | 130832             | 5" x 8'              | Bulk / Cut Case | 6         | 8                 | 2.92                   |
| MFX68        | 130696             | 6" x 8'              | Retail Bag      | 4         | 7                 | 2.79                   |
| MFX68X       | 135707             | 6" x 8'              | Bulk            | 4         | 7                 | 2.79                   |
| MFX68XZW     | 130795             | 6" x 8'              | Bulk / Cut Case | 4         | 7                 | 3.12                   |
| MFX78X       | 137688             | 7" x 8'              | Bulk            | 5         | 10                | 5.18                   |
| MFX88X       | 138685             | 8" x 8'              | Bulk            | 4         | 9                 | 5.18                   |

**Code Compliance:**

Dundas Jafine recommends that you check with the local code body, having jurisdiction in your area, to determine applicable codes. UL 181, NFPA 90A & 90B, BOCA, ICBO, SBCC, HUD/FHA MIN. Property STD.

**Flame Spread:** Zero

**Smoke Developed:** Zero

**Temperature Range:** -100°F to 435°F

**Maximum Velocity:** 5000 FPM

---

**3" to 10" Diameter**

**Static Pressure - Positive:** 12 in. WC

**Static Pressure - Negative:** 12 in. WC

---

**12" to 20" Diameter**

**Static Pressure - Positive:** 8 in. WC


**Static Pressure - Negative:** 8 in. WC

**Bending Radius:** 1 x diameter

**Permeance:** Near Zero

**Maximum Installed Length:** None

# Air Friction Loss in Straight Runs



Scan this QR code to view helpful product feature and installation videos

11099 Broadway, Alden, New York, USA 14004  
80 West Drive, Brampton, Ontario, Canada L6T 3T6

1.800.387.2578  
dundasjafine.com