

COVER GUARD™

Adjustable Lineset Duct and Fittings

Description

The Cover Guard adjustable lineset cover system is designed to protect and conceal exposed ducted and ductless HVAC piping. It complements any residence or business with a finished look. Cover Guard's 4-stage adjustability allows for a wide range of line sizes, from 1.75 to 3.5 inches deep. The easy lock adjustable fittings can be opened and closed as needed for critical adjustments whenever necessary. Installation is easy with its convenient peel-and-go film, as well as the quick snap covers that won't release under pressure.

Additional information:

- Weather and UV stabilized: Temp range -4°F to 140°F.
- Protects linesets from pets, pest, and vandals: Flat bottom channel and elbow hugs wall, eliminates insect and bird nests.
- Interior adjustable tabs allow the cover to quickly snap in and secure the cover in place.
- Free-sliding zip-tie clips are pre-installed, relocating quickly and easily to position the zip tie where it's needed most.
- Plastic cam screws only require a 1/4 turn to lock in place. Resistant to rust, overtorque or cracking the fitting.
- 3 color options: White, brown and gray.

Applications

Avoids damage to HVAC systems by protecting lineset, wiring, and drain hose from weather, vandalism, pet and pest damage. Covers and fittings for the majority of applications; available in a wide assortment of sizes and colors.

Lineset Cover Kits

Each Cover Guard 3" Wall Duct Kit includes three 48"x 3" channel bases and covers (12'), two 3" couplers, a 3" wall inlet, a 3" end cap, a 3" flat 90 elbow. Complete with zip-tie clips and cam screws.

Each Cover Guard 4.5" Wall Duct Kit includes three 48"x 4.5" wide channel bases and covers (12'), two 4.5" couplers, a 4.5" wall inlet, a 4.5" end cap, a 4.5" flat 90 elbow. Complete with zip-tie clips and cam screws.

Specifications

3" single-zone, external width = 3.625"
Expanding internal dimensions:

4.5" multi-zone, external width = 5"
Expanding internal dimensions:

Width 3"
Depth 1.75"

Width 3"
Depth 2.50"

Width 4.50"
Depth 2.25"

Width 4.50"
Depth 3.50"

**Characteristics | Features**

- Adjustable cover that allows for extra versatility when installing
- Complete offering of fittings to meet every installation need
- Quick snap cover won't release under pressure
- Components are UV stabilized
- Easy to hold large and rust-resistant cam screws
- Additional cam screw in each fitting
- Internal adjustable tabs
- Pre-installed sliding zip-tie clips
- Pre-paint finish and is paintable

Packaging

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
3CG45	3" 45 Deg. Elbow	White	12	4	0.57
3CG45B	3" 45 Deg. Elbow	Brown	12	4	0.57
3CG45G	3" 45 Deg. Elbow	Gray	12	4	0.57
3CG90	3" 90 Deg. Elbow	White	12	6	0.86
3CG90B	3" 90 Deg. Elbow	Brown	12	6	0.86
3CG90G	3" 90 Deg. Elbow	Gray	12	6	0.86
3CG90SWP	3" 90 Deg. Sweep	White	12	9	1.46
3CG90SWPB	3" 90 Deg. Sweep	Brown	12	9	1.46
3CG90SWPG	3" 90 Deg. Sweep	Gray	12	9	1.46
3CGCUP	3" Coupler	White	12	3	0.38
3CGCUPB	3" Coupler	Brown	12	3	0.38
3CGCUPG	3" Coupler	Gray	12	3	0.38
3CGDUC	48" X 3" Line Duct	White	12	47	2.11
3CGDUCB	48" X 3" Line Duct	Brown	12	47	2.11
3CGDUCG	48" X 3" Line Duct	Gray	12	47	2.11
3CGDUC78	78" X 3" Line Duct	White	12	77	3.39
3CGDUC78B	78" X 3" Line Duct	Brown	12	77	3.39
3CGDUC78G	78" X 3" Line Duct	Gray	12	77	3.39
3CGEND	3" End-Cap	White	12	2	0.35
3CGENDB	3" End-Cap	Brown	12	2	0.35
3CGENDG	3" End-Cap	Gray	12	2	0.38
3CGEXT90	3" External 90	White	12	4	0.98
3CGEXT90B	3" External 90	Brown	12	4	0.98
3CGEXT90G	3" External 90	Gray	12	4	0.98
3CGFLXA	3" Flex Adapter	White	12	3	0.38
3CGFLXAB	3" Flex Adapter	Brown	12	3	0.38
3CGFLXAG	3" Flex Adapter	Gray	12	3	0.38
3CGFLXSM	3" Flex Elbow Small	White	12	6	1.74

COVER GUARD™

Adjustable Lineset Duct and Fittings

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
3CGFLXSMB	3" Flex Elbow Small	Brown	12	6	1.74
3CGFLXSMG	3" Flex Elbow Small	Gray	12	6	1.74
3CGINLT	3" Wall Inlet	White	12	8	0.96
3CGINLTB	3" Wall Inlet	Brown	12	8	0.96
3CGINLTG	3" Wall Inlet	Gray	12	8	0.96
3CGINT90	3" Internal 90	White	12	5	1.17
3CGINT90B	3" Internal 90	Brown	12	5	1.17
3CGINT90G	3" Internal 90	Gray	12	5	1.17
3CGKIT	3" Wall Duct Kit	White	1	15	1.33
3CGKITB	3" Wall Duct Kit	Brown	1	15	1.33
3CGKITG	3" Wall Duct Kit	Gray	1	15	1.33
3CGSCRW	3" Cam Screw - 50 pack	White	1	2	-
3CGSCRWB	3" Cam Screw - 50 pack	Brown	1	2	-
3CGSCRWG	3" Cam Screw - 50 pack	Gray	1	2	-
3CGSTI	3" Soffit Inlet	White	12	6	1.02
3CGSTIB	3" Soffit Inlet	Brown	12	6	1.02
3CGSTIG	3" Soffit Inlet	Gray	12	6	1.02
CG45	45 Deg. Elbow	White	6	2	0.48
CG45B	45 Deg. Elbow	Brown	6	2	0.48
CG45G	45 Deg. Elbow	Gray	6	2	0.48
CG90	90 Deg. Elbow	White	6	4	0.71
CG90B	90 Deg. Elbow	Brown	6	4	0.71
CG90G	90 Deg. Elbow	Gray	6	4	0.71
CG90SWP	90 Deg. Sweep	White	6	10	1.96
CG90SWPB	90 Deg. Sweep	Brown	6	10	1.96
CG90SWPG	90 Deg. Sweep	Gray	6	10	1.96
CGCLP	Duct Clips - 25	White	1	1	-
CGCLPB	Duct Clips - 25	Brown	1	1	-
CGCLPG	Duct Clips - 25	Gray	1	1	-

COVER GUARD™

Adjustable Lineset Duct and Fittings

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
CGCUP	Coupler	White	6	2	0.27
CGCUPB	Coupler	Brown	6	2	0.27
CGCUPG	Coupler	Gray	6	2	0.27
CGDUC	48" X 4.5" Line Duct	White	12	57	3.33
CGDUCB	48" X 4.5" Line Duct	Brown	12	57	3.33
CGDUCG	48" X 4.5" Line Duct	Gray	12	57	3.33
CGDUC78	78" X 4.5" Line Duct	White	6	49	2.47
CGDUC78B	78" X 4.5" Line Duct	Brown	6	49	2.47
CGDUC78G	78" X 4.5" Line Duct	Gray	6	49	2.47
CGEND	End-Cap	White	6	2	0.34
CGENDB	End-Cap	Brown	6	2	0.34
CGENDG	End-Cap	Gray	6	2	0.34
CGEXT90	External 90 Elbow	White	6	4	0.95
CGEXT90B	External 90 Elbow	Brown	6	4	0.95
CGEXT90G	External 90 Elbow	Gray	6	4	0.95
CGFLXA	Flex Adapter	White	6	2	0.27
CGFLXAB	Flex Adapter	Brown	6	2	0.27
CGFLXAG	Flex Adapter	Gray	6	2	0.27
CGFLXLR	Flex Elbow Large	White	6	9	3.08
CGFLXLRB	Flex Elbow Large	Brown	6	9	3.08
CGFLXLRG	Flex Elbow Large	Gray	6	9	3.08
CGFLXSM	Flex Elbow Small	White	6	7	2.40
CGFLXSMB	Flex Elbow Small	Brown	6	7	2.40
CGFLXSMG	Flex Elbow Small	Gray	6	7	2.40
CGINLT	Wall Inlet	White	6	4	0.79
CGINLTB	Wall Inlet	Brown	6	4	0.79
CGINLTG	Wall Inlet	Gray	6	4	0.79
CGINT90	Internal 90 Elbow	White	6	3	0.95
CGINT90B	Internal 90 Elbow	Brown	6	3	0.95

COVER GUARD™

Adjustable Lineset Duct and Fittings

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
CGINT90G	Internal 90 Elbow	Gray	6	3	0.95
CGKIT	4.5" Wall Duct Kit	White	1	20	1.95
CGKITB	4.5" Wall Duct Kit	Brown	1	20	1.95
CGKITG	4.5" Wall Duct Kit	Gray	1	20	1.95
CGRDR	Reducer	White	6	2	0.63
CGRDRB	Reducer	Brown	6	2	0.63
CGRDRG	Reducer	Gray	6	2	0.63
CGSCRW	Cam Screw - 50	White	1	1	-
CGSCRWB	Cam Screw - 50	Brown	1	1	-
CGSCRWG	Cam Screw - 50	Gray	1	1	-
CGSTI	Soffit Inlet	White	6	4	0.97
CGSTIB	Soffit Inlet	Brown	6	4	0.97
CGSTIG	Soffit Inlet	Gray	6	4	0.97
CGTEE	Tee Elbow	White	6	5	0.80
CGTEEB	Tee Elbow	Brown	6	5	0.80
CGTEEG	Tee Elbow	Gray	6	5	0.80
CGWLFL	Wall Flange	White	6	3	0.65
CGWLFLB	Wall Flange	Brown	6	3	0.65
CGWLFLG	Wall Flange	Gray	6	3	0.65

Limited Warranty



For more information on our product warranty, visit rectorseal.com.

Manufactured by

RectorSeal, LLC

2601 Spenwick Drive, Houston, TX 77055, USA • 800-231-3345 • Fax 800-441-0051 • rectorseal.com

PO Box 5266, Brendale, Qld 4500, Australia • 1300 772 878 • rectorseal.com.au

3255 Wyandotte St. East, Windsor, ON N8Y 1E9, Canada • 519-966-4901

A CSW Industrials Company. RectorSeal, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensor's and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2024 RectorSeal. All rights reserved. R50984-0124